

5 Gallon Pail Cover Kit & Agitator Kit

307857 rev.F

For the Husky[™] 715 Pump

100 psi (7 bar) MAXIMUM INCOMING AIR PRESSURE

100 psi (7 bar) MAXIMUM FLUID WORKING PRESSURE

Model 221095, 5 Gallon Pail Cover Kit Model 221096, 5 Gallon Agitator Kit

Installation

General Information

- Refer to the separate Husky 715 pump instruction 1. manual for detailed warnings and information on air exhaust ventilation, air and fluid line installation, operation, maintenance, service, and accessories.
- Use a compatible, liquid thread sealant on all male 2. threads. Tighten all connections firmly to avoid air or fluid leaks.
- 3. Assemble the Cover Kit and Agitator Kit as shown on page 3. If you are not using the agitator, be sure the agitator bung is plugged with the cap (11).

4. Position the feet of the Husky 715 pump over the mounting studs (5a) on the pail cover. Secure with the washers, lockwashers and nuts (4,1,3) provided. See page 3.


Grounding

WARNING $\hat{\mathbf{A}}$



FIRE AND EXPLOSION HAZARD

The Husky 715 pump must be grounded. The steps for grounding may differ from the way you ground other pumps. Read and carefully follow the grounding information in your Husky 715 instruction manual.



KEY

A B Air Filter

- Air Regulator & Gauge
- С Bleed-type Master Air Valve
- D Circulating Valve
- Ε Return Line
- F Fluid Outlet Hose
- G **Pump Ground Wire**
- Н Air Line
- Agitator J
- 5 Gallon Pail Mount Kit Κ
- 5 Gallon Suction Tube L
- Fluid Drain Valve М
- Pail Cover Ground Wire Ν


Parts

221095 Pail Cover Assembly Includes items 1 to 13

| Ref. | | | |
|------|----------|--------------------------------|------|
| No. | Part No. | Description | Qty. |
| 1 | 100016 | LOCKWASHER; carbon steel | 7 |
| 2 | 100220 | SCREW; stainless steel | 3 |
| 3 | 101345 | NUT, hex, jam; carbon steel | 7 |
| 4 | 157241 | WASHER; carbon steel | 7 |
| 5 | 221132 | PLATE, adapter; carbon steel | 1 |
| 6 | 183552 | TUBE, suction; stainless steel | 1 |
| 7 | 214828 | COVER, PAIL; carbon steel | 1 |
| 8 | 102521 | BUTTON, plug; carbon steel | 1 |
| 9 | 102790 | SCREW, mach.; carbon steel | 2 |
| 10 | 100179 | NUT, hex; carbon steel | 2 |
| 11 | 402339 | CAP, plug; polyethylene | 1 |
| 12 | 100333 | SCREW, hex; carbon steel | 3 |
| 13 | 100050 | SCREW, set, socket-hd; | |
| | | 1/4–20 x 3/8 in. (10 mm) | 2 |
| | | | |

221096 Agitator Kit Includes items 21 to 25

| Ref No. | Part No. | Description | Qty |
|------------|----------|----------------------------------|-----|
| 21 | 224571 | 5 GALLON AGITATOR; | |
| | | See 306565 for parts | 1 |
| 22 | 162453 | NIPPLE, 1/4 npt x 1/4 npsm; | |
| | | carbon steel | 1 |
| 23 | 108638 | TEE, pipe; 1/4 npt; carbon steel | 1 |
| 24 | 100030 | BUSHING, 1/4 x 1/8 npt; | |
| | | carbon steel | 1 |
| 25 | 164724 | HOSE, air; 1/4 in. (6 mm) ID; | |
| | | 1/8 npt (mbe); 12 in. (305 mm); | |
| | | buna-N | 1 |
| | | | |



TI2217

Graco Standard Warranty

Graco warrants all equipment manufactured by Graco and bearing its name to be free from defects in material and workmanship on the date of sale by an authorized Graco distributor to the original purchaser for use. With the exception of any special, extended, or limited warranty published by Graco, Graco will, for a period of twelve months from the date of sale, repair or replace any part of the equipment determined by Graco to be defective. This warranty applies only when the equipment is installed, operated and maintained in accordance with Graco's written recommendations.

This warranty does not cover, and Graco shall not be liable for general wear and tear, or any malfunction, damage or wear caused by faulty installation, misapplication, abrasion, corrosion, inadequate or improper maintenance, negligence, accident, tampering, or substitution of non–Graco component parts. Nor shall Graco be liable for malfunction, damage or wear caused by the incompatibility of Graco equipment with structures, accessories, equipment or materials not supplied by Graco, or the improper design, manufacture, installation, operation or maintenance of structures, accessories, equipment or materials not supplied by Graco.

This warranty is conditioned upon the prepaid return of the equipment claimed to be defective to an authorized Graco distributor for verification of the claimed defect. If the claimed defect is verified, Graco will repair or replace free of charge any defective parts. The equipment will be returned to the original purchaser transportation prepaid. If inspection of the equipment does not disclose any defect in material or workmanship, repairs will be made at a reasonable charge, which charges may include the costs of parts, labor, and transportation.

THIS WARRANTY IS EXCLUSIVE, AND IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTY OF MERCHANTABILITY OR WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE.

Graco's sole obligation and buyer's sole remedy for any breach of warranty shall be as set forth above. The buyer agrees that no other remedy (including, but not limited to, incidental or consequential damages for lost profits, lost sales, injury to person or property, or any other incidental or consequential loss) shall be available. Any action for breach of warranty must be brought within two (2) years of the date of sale.

Graco makes no warranty, and disclaims all implied warranties of merchantability and fitness for a particular purpose in connection with accessories, equipment, materials or components sold but not manufactured by Graco. These items sold, but not manufactured by Graco (such as electric motors, switches, hose, etc.), are subject to the warranty, if any, of their manufacturer. Graco will provide purchaser with reasonable assistance in making any claim for breach of these warranties.

In no event will Graco be liable for indirect, incidental, special or consequential damages resulting from Graco supplying equipment hereunder, or the furnishing, performance, or use of any products or other goods sold hereto, whether due to a breach of contract, breach of warranty, the negligence of Graco, or otherwise.

FOR GRACO CANADA CUSTOMERS

The parties acknowledge that they have required that the present document, as well as all documents, notices and legal proceedings entered into, given or instituted pursuant hereto or relating directly or indirectly hereto, be drawn up in English. Les parties reconnaissent avoir convenu que la rédaction du présente document sera en Anglais, ainsi que tous documents, avis et procédures judiciaires exécutés, donnés ou intentés à la suite de ou en rapport, directement ou indirectement, avec les procedures concernées.

Graco Information

TO PLACE AN ORDER, contact your Graco distributor, or call this number to identify the distributor closest to you: 1–800–367–4023 Toll Free

612–623–6921 612–378–3505 Fax

All written and visual data contained in this document reflects the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

> Sales Offices: Minneapolis, Detroit International Offices: Belgium, Korea, Hong Kong, Japan

GRACO INC. P.O. BOX 1441 MINNEAPOLIS, MN 55440-1441

www.graco.com

PRINTED IN USA 307857 2/1988, Revised 7/2002