

INSTRUCTIONS-PARTS LIST

KEEP FOR REFERENCE




308-595

Rev. A

237-966 Cart Kit

FOR THE H₂O PRO™ BATCH SYSTEM, PART NO. 237-927



05364

Installation

CAUTION

To avoid tipping the cart over, the cart must be on a flat and level surface.

Set the brake on both swivel casters (5) before installing the batch system and whenever the cart is stationary.

Failure to follow these cautions could result in injury or equipment damage.

1. Set the brake on both swivel casters (5).
2. Position the supports (2, 3) as shown in Fig. 1. Secure them to the base (1) with the screws (7), lockwashers (8), and flat washers (9).

3. Install the screws (7), lockwashers (8), and flat washers (9) about 1/4" (6 mm) into the **bottom** holes (B) of the supports.
4. The bottom tabs (C) of the H₂O PRO Batch System (A) are slotted. Have at least two people lift the system into position against the supports, so the bottom tabs slide down over the screws (7) installed in step 3. Make sure the lockwashers and flat washers (8, 9) are on the outside of the tabs.
5. Adjust the position of the system (A) so the top mounting holes (D) align with the top holes (E) in the supports. Install the screws (7), lockwashers (8), and flat washers (9). Tighten securely.
6. Tighten the bottom screws (7) securely.

NOTE: The locating blocks (4) are adjustable, to allow use with different size fluid containers.





Fig. 1

05343

Parts

Ref No.	Part No.	Description	Qty	Ref No.	Part No.	Description	Qty
1	190-751	BASE, cart	1	9	100-731	WASHER, flat; 3/8"	8
2	190-722	SUPPORT	1	10	100-021	SCREW, cap; 1/4-20 unc-2a; 1" (25 mm) long	3
3	190-723	SUPPORT	1	11	100-527	WASHER, flat; 0.312"	35
4	190-713	BLOCK, locating	3	12	100-022	SCREW, cap; 1/4-20 unc-2a; 3/4" (19 mm) long	16
5	113-063	CASTER, swivel; with brake	2	13	100-016	WASHER, lock; 1/4"	16
6	113-210	CASTER, rigid	2	14	100-015	NUT, hex; 1/4"	16
7	100-469	SCREW, cap; 3/8-16 unc-2a; 3/4" (19 mm) long	8				
8	100-133	WASHER, lock; 3/8"	8				



05363

Important Phone Numbers

TO PLACE AN ORDER, contact your Graco distributor, or call Graco: **1-800-367-4023 Toll Free**

FOR TECHNICAL ASSISTANCE, service repair information or answers about the application of Graco equipment, call: **1-800-543-0339 Toll Free**

The Graco Warranty and Disclaimers

WARRANTY

Graco warrants all equipment manufactured by it and bearing its name to be free from defects in material and workmanship on the date of sale by an authorized Graco distributor to the original purchaser for use. As purchaser's sole remedy for breach of this warranty, Graco will, for a period of twelve months from the date of sale, repair or replace any part of the equipment proven defective. This warranty applies only when the equipment is installed, operated and maintained in accordance with Graco's written recommendations.

This warranty does not cover, and Graco shall not be liable for, any malfunction, damage or wear caused by faulty installation, misapplication, abrasion, corrosion, inadequate or improper maintenance, negligence, accident, tampering, or substitution of non-Graco component parts. Nor shall Graco be liable for malfunction, damage or wear caused by the incompatibility with Graco equipment of structures, accessories, equipment or materials not supplied by Graco, or the improper design, manufacture, installation, operation or maintenance of structures, accessories, equipment or materials not supplied by Graco.

This warranty is conditioned upon the prepaid return of the equipment claimed to be defective to an authorized Graco distributor for verification of the claim. If the claimed defect is verified, Graco will repair or replace free of charge any defective parts. The equipment will be returned to the original purchaser transportation prepaid. If inspection of the equipment does not disclose any defect in material or workmanship, repairs will be made at a reasonable charge, which charges may include the costs of parts, labor and transportation.

DISCLAIMERS AND LIMITATIONS

The terms of this warranty constitute purchaser's sole and exclusive remedy and are in lieu of any other warranties (express or implied), **including warranty of merchantability or warranty of fitness for a particular purpose**, and of any non-contractual liabilities, including product liabilities, based on negligence or strict liability. Every form of liability for direct, special or consequential damages or loss is expressly excluded and denied. In no case shall Graco's liability exceed the amount of the purchase price. Any action for breach of warranty must be brought within two (2) years of the date of sale.

EQUIPMENT NOT COVERED BY GRACO WARRANTY

Graco makes no warranty, and disclaims all implied **warranties of merchantability and fitness for a particular purpose**, with respect to accessories, equipment, materials, or components sold but not manufactured by Graco. These items sold, but not manufactured by Graco (such as electric motor, switches, hose, etc.) are subject to the warranty, if any, of their manufacturer. Graco will provide purchaser with reasonable assistance in making any claim for breach of these warranties.

Sales Offices: Atlanta, Chicago, Detroit, Los Angeles

Foreign Offices: Belgium; Canada; England; Korea; Switzerland; France; Germany; Hong Kong; Japan

GRACO INC. P.O. BOX 1441 MINNEAPOLIS, MN 55440-1441

PRINTED IN U.S.A. 308-595 July 1995