


Material Safety Data Sheet



Rev. A
Updated: 3/03

1.0 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Grease Lubricant, Food Grade

Chemical Name: Manufacturer / Supplier

Graco Inc.

P.O. Box 1441

60 11th Ave. NE

Minneapolis, MN 55440-1441

Part Number(s): 117773

Use: Graco Fusion Gun

Emergency Information

Health Emergency (RMPC): (303)- 623-5716

Chemical Spills (Chemtrec): (800)- 424-9300

2.0 COMPOSITION / INFORMATION ON INGREDIENTS

Component % Non-Hazardous	CAS#	% by Weight
------------------------------	------	-------------

Hazardous Material Identification System (HMIS): Health - 1, Flammability - 1, Reactivity - 0

Not a Controlled Product under (WHMIS) - Canada

Special Protection: See Section 9

3.0 HEALTH HAZARD DATA

Threshold Limit Value 5 mg/m³ for oil mist in air. OSHA Regulation 29 CFR 1910.1000

Effects of Overexposure Prolonged or repeated skin contact may cause skin irritation. Product contacting the eyes may cause eye irritation. Human health risks vary from person to person.

As a precaution, exposure to liquids, vapors, mists and fumes should be minimized. This product has a low order of acute oral toxicity, but minute amounts aspirated into the lungs during ingestion may cause mild to severe pulmonary injury.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

4.0 FIRST AID MEASURES

Eye	Flush with clear water for 15 minutes or until irritation subsides. If irritation persists, consult a physician.
Skin	Remove any contaminated clothing and wash with soap and warm water. If injected by high pressure under skin, regardless of the appearance or its size, contact a physician IMMEDIATELY. Delay may cause loss of affected part of the body.
Inhalation	Vapor pressure is very low and inhalation at room temperature is not a problem. If overcome by vapor from hot product, immediately remove from exposure and call a physician.
Ingestion	If ingested, call a physician immediately. Do not induce vomiting.

5.0 FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used)	COC - 460°F	Flammable Limits LEL	0.9%	UEL	7.0%
Extinguishing Media	Foam, Dry Chemical, Carbon Dioxide or Water Spray (Fog)				
Special Fire Fighting Procedures	Cool exposed containers with water. Use air-supplied breathing equipment for enclosed or confined spaces.				
Unusual Fire and Explosion Hazards	Do not store or mix with strong oxidants. Empty containers retain residue. Do not cut, drill, grind, or weld, as they may explode.				

6.0 PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point	>550°F	Specific Gravity (H₂O = 1)	0.96 - 0.98
Vapor Pressure (mm Hg.)	<0.01	Melting Point	Semi-solid
Vapor Density (AIR = 1)	>5	Evaporation Rate (Butyl Acetate = 1)	<0.01
Solubility in Water	Negligible		
Appearance and Odor	Smooth, tacky white grease with mineral oil odor.		

7.0 REACTIVITY DATA

Stability	Unstable Stable X	Conditions to Avoid	N/A
Incompatibility (Materials to Avoid)	Avoid contact with strong oxidants like liquid chlorine, concentrated oxygen.		
Hazardous Decomposition or Byproducts	If incomplete combustion, Carbon Monoxide.		
Hazardous Polymerization	May Occur Will Not Occur X	Conditions to Avoid	N/A

8.0 SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled
Scrape up grease, wash remainder with suitable petroleum solvent or add absorbent. Keep petroleum products out of sewers and watercourses. Advise authorities if product has entered or may enter sewers and watercourses.
Waste disposal method
Assure conformity with applicable disposal regulations. Dispose of absorbed material at an approved waste disposal facility or site.
SARA/TITLE III, Section 313 Status - Zinc Compounds - <8%

9.0 SPECIAL PROTECTION INFORMATION

Respiratory Protection (Specify type) Normally not needed			
Ventilation	Local Exhaust Mechanical (General)	Used to capture fumes and vapors	Special N/A Other N/A
Protective Gloves	Use oil-resistant gloves, if needed.		
Eye Protection	If chance of eye contact, wear goggles.		
Other Protective Equipment	Use oil-resistant apron, if needed.		

10.0 SPECIAL PRECAUTIONS

Precautions to be taken in handling and storing

Keep containers closed when not in use. Do not handle or store near heat, sparks, flame, or strong oxidants.

Other Precautions

Remove oil-soaked clothing and launder before reuse. Cleanse skin thoroughly after contact.

Prepared By	Graco, Inc.
--------------------	-------------

This Material Safety Data Sheet and the information it contains is offered to you in good faith as accurate. We have reviewed any information contained in this data sheet which we have received from sources outside our company. We believe that information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this Data Sheet may not be adequate for all individuals and/or situations. It is the users' obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as a permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either express or implied.

NOTES: NA = Not Applicable; NE = Not Established; UN = Unavailable

All written and visual data contained in this document reflects the latest product information available at the time of publication.

Graco reserves the right to make changes at any time without notice.

Sales Offices: Minneapolis, Detroit,

International Offices: Belgium, Korea, Hong Kong, Japan

GRACO INC. P.O. BOX 1441 MINNEAPOLIS, MN 55440-1441

www.graco.com

PRINTED IN U.S.A.